

Work Order ID 156483

Friday, January 27, 2017 1:24:07 PM

156483

Page 1

Item ID: D3622-1

Revision ID:

Item Name: Ball Stud

Start Date: 1/25/2017

Required Date: 1/27/2017

Reference:

Accept

N900040100

Setup Start

NS1

Stop

NS2

Start Qty: 10.00

10

Cust Item ID:

Req'd Qty: 10.00

10

Customer:

Approvals: Process Plan:

Date: FEB 02 2017

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

NR1

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3622

D

100

0.08

100

Hardinge

Hardinge CNC Lathe Small

Hardinge CNC LATHE SMALL

Memo

0.20

1-TURN AS PER FOLIO FA686 & DWG D3622 ,
FOLIO REV: AA
DWG REV: D
2-DEBURR AS REQUIRED

110

0.00

110

QC

Quality Control

QC2- Inspect parts off machine FAI/FAIB

Memo

0.02

120

0.00

120

QC

Quality Control

QC8- Inspect parts - second check

Memo

0.03

DAS
45
9-89

DAS
45
9-89

DAS
33
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	Pressure/Forced ☐		Temperature/Cure ☐		Power Loss/Surge ☐	
Design ☐	☐ Operator	Bending ☐		Set-up ☐		Folio/Program ☐	
Doc/Data ☐	☐ Offset/Setup	Centre Not Concentric ☐		BOM/Route ☐		Grain ☐	
Equip/Tooling ☐	☐ Supplier	Cracks ☐		Broken/Damage/Defect ☐		Weld ☐	
Handling/Pre ☐	☐ Training	Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐		Wrong Stock Pulled ☐	
Material ☐	☐ Use for Testing	Cuffs ☐		Contamination ☐		Out of Sequence ☐	
Internal Transport ☐	☐ Poor Information	Crushing ☐		Countersink ☐		Off-set ☐	
Tribal Knowledge ☐	☐ Rushing	Heat Treat ☐		Cut Too Short ☐		Mislabeled ☐	
LOA ☐	☐ Product Improvement	Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐		Fit/Function ☐	
Substation ☐	☐ Process Improvement	Marks/Chatter ☐		Drill Holes ☐		Misaligned/off center ☐	
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Work Order ID 156483

Friday, January 27, 2017 1:24:07 PM

156483

Page 2

Item ID: D3622-1	Accept	*N900040100*	Setup Start	*NS1*
Revision ID:			Stop	*NS2*
Item Name: Ball Stud				
Start Date: 1/25/2017	Start Qty: 10.00	*10*	Cust Item ID:	
Required Date: 1/27/2017	Req'd Qty: 10.00	*10*	Customer:	
Reference:				

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run Start	*NR1*
	QC:	Date:	SPC (Y/N):	Date:	Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <i>7016</i>	0.00							
130									
Packaging	Memo	0.02							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.17							
Quality Control									

3d **DAS 6 9-89** MAR 01 2017

DAS 21 9-89 MAR 02 2017

DAS 21 9-89 MAR 02 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, January 27, 2017 1:24:07 PM

Work Order ID: 156483

156483

Parent Item: D3622-1

D3622-1

Parent Item Name: Ball Stud

Start Date: 1/25/2017

Required Date: 1/27/2017

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP Rev:A New Issue 07-04-24 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M303H0.500		Purchased		No		100	f	12.0340	0.108	1.136842			

M303H0 500

**

303 HEX BAR .500

Location

Loc Qty

Loc Code

MAT018

12.034

m135559

0.034

m136036

12

1,444 ^{pt} DAS
2,146 ^{pt} 45 17-2-27
9-89
3,59 ^{pt}

DQA: _____ Date: _____






WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
				Completed By					
				Lead hand / Supervisor Approval Verification					
				QC / QA Coordinator Approval					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								



**D3622-1 BALL STUD
SHOWN**



**D3622-11 BALL STUD
SHOWN**

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 156483
ML5
17-02-02

PART NUMBER	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	WEIGHT (LBS)	THREAD G	MIN Ø H	MAX
D3622-1	0.125	0.563	1.19	0.394	0.215	0.313	0.03	0.3125-24UNF-3A	0.3053	0.3125
D3622-3	0.125	0.563	1.19	0.394	0.215	0.313	0.03	0.1875-32UNF-3A	0.1840	0.1900
D3622-5	0.090	0.900	1.53	0.394	0.215	0.313	0.04	0.3125-24UNF-3A	0.3053	0.3125
D3622-7	0.060	0.330	0.96	0.394	0.215	0.313	0.03	0.3125-24UNF-3A	0.3053	0.3125
D3622-9	0.090	1.160	1.79	0.394	0.215	0.313	0.04	0.3125-24UNF-3A	0.3053	0.3125
D3622-11	0.060	N/A	0.69	0.394	0.215	0.313	0.02	NOT THREADED	0.270	0.300
D3622-13	0.090	0.680	1.31	0.394	0.215	0.313	0.03	0.3125-24UNF-3A	0.3053	0.3125
D3622-15	0.090	0.430	1.06	0.350	0.202	0.334	0.02	M6 X 1.0	5.82mm	6.00mm

D3622-X BALL STUD

NOTES:

- 1) MATERIAL: AISI 303 HEX BAR
REF DART SPEC M303H0.500
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENT P/N D3622-X & B/N PER QSI 044
- 7) WEIGHT: SEE D3622-X TABLE

RELEASED
2016-04-18
ECN 16-557

APPROVED

D	ADDED -15. ADDED COLUMN D, E AND F. RENAMED SUBSEQUENT COLUMNS.	AK	16.03.15
C	SHEET 1: ADD -5, -7, -9, -11 & -13. ADD D3622-X TABLE. SHEET 2 DELETED	JPH	10.07.20
B	ADD -3 (SHEET 2)	HS	09.09.18
A	NEW ISSUE	MB	07.04.13
REV.	DESCRIPTION	BY	DATE
DESIGN	JPH		
DRAWN	AK		
CHECKED	VS		
MFG. APPR.	JL		
APPROVED	HS		
DE APPR.	DS		
DATE	16.03.15		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D3622
REV. D
SHEET 1 OF 1
SCALE
NTS

COPYRIGHT © 2009 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.